Physica C 173 (1991) 501–504
North-Holland

Author Index to Volume 173

Afalfiz, L., see J. Ryder **173**, 9
Ahrens, R., see C. Meingast **173**, 309
Alexandrov, V.V., V.V. Borisovskii, T.A. Fedotova, L.M. Fisher, N.V. Il'in, O.K. Smirnova, I.F. Voloshin, M.A. Baranov and V.S. Gorbachev, On the Meissner effect in granular superconductors **173**, 458
Allen, R.E., see Z.-H. Huang **173**, 173
Amelinckx, S., see T. Krekels **173**, 361
Andersen, N.H., see H.F. Poulsen **173**, 387
Andrikidis, C., see S.J. Collocott **173**, 117
Antson, O.K., T.T. Karlemo, M.J. Karppinen and K.M. Ullakko, Neutron powder diffraction study on Eu-substituted $Bi_2Sr_2CaCu_2O_{8+y}$ high temperature superconductor **173**, 65
Artemenko, S.N. and A.N. Kruglov, Flux vortices in layered high-T_c superconductors and Berezinskii–Kosterlitz–Thouless transition in low magnetic field **173**, 125

Bai, G., see Y. Gao **173**, 487
Bansal, S., T.K. Bansal, A.K. Jha and R.G. Mendiratta, Effect of addition of lead on the superconductivity and structure of $Bi_2Sr_2Ca_2Cu_3O_{10}$ ceramics **173**, 260
Bansal, T.K., see S. Bansal **173**, 260
Baranov, M.A., see V.V. Alexandrov **173**, 458
Barnes, C.L., see T.N. Blanton **173**, 152
Bäuerle, D., see K. Kellner **173**, 208
Behera, S.N., see D.M. Gaitonde **173**, 293
Bennett, J.C., see G.A. Scholz **173**, 220
Berastegui, P., see M. Kakihana **173**, 377
Beynon, R.J., see J. Ryder **173**, 9
Blank, B., see C. Meingast **173**, 309
Blanton, T.N., C.L. Barnes and M. Lelental, The effect of X-ray penetration depth on structural characterization of multiphase Bi–Sr–Ca–Cu–O thin films by X-ray diffraction techniques **173**, 152
Block, R., see L. Jansen **173**, 409
Borisovskii, V.V., see V.V. Alexandrov **173**, 458
Börjesson, L., see M. Kakihana **173**, 377
Borowski, R., see N. Knauf **173**, 414
Boswell, F.W., see G.A. Scholz **173**, 220
Broddin, D., see T. Krekels **173**, 361
Brosh, B., see I. Felner **173**, 337
Brunner, B., see R. Schönberger **173**, 159
Bürkle, H., see C. Meingast **173**, 309

Catlow, C.R.A., see X. Zhang **173**, 25
Cava, R.J., see R.M. Fleming **173**, 37
Chandran, L., see L. Jansen **173**, 409
Chang, C.C., see R. Ramesh **173**, 163
Chang, Y.-W., see A. Zangvil **173**, 251
Chen, C.H., see D.J. Werder **173**, 285
Chen, J., see S. Li **173**, 239
Chen, K., Y.C. Chen, S.W. Lu, W.H. Lee and P.T. Wu, Magnetic and thermal instabilities in a textured $YBa_2Cu_3O_x$ superconductor with high transport J_c **173**, 227
Chen, Y.C., see K. Chen **173**, 227
Chern, G., see G.L. Larkins Jr. **173**, 201
Collocott, S.J., R. Driver and C. Andrikidis, Specific heat of the ceramic superconductor $Bi_2Sr_2CuO_6$ from 0.4 to 20 K **173**, 117
Croft, M., see S. Li **173**, 239

Darab, J.G., R.K. MacCrone and K. Rajan, Geometric modelling and defect chemistry of orthogonal domain interfaces in $YBa_2Cu_3O_{7-x}$ **173**, 213
Das, I., E.V. Sampathkumaran, R. Vijayaraghavan, Y. Nakazawa and M. Ishikawa, Magnetic and superconducting behaviour of the oxides $Pr_{1-x}Gd_xBa_2Cu_3O_y$ **173**, 331
Deltour, R., see T. Krekels **173**, 361
DiSalvo, F.J., see R.M. Fleming **173**, 37
Domon, M., see T. Yagi **173**, 453
Dousek, F.P., see P. Podhájecký **173**, 99
Drechsler, S.-L., see H. Eschrig **173**, 80
Driver, R., see S.J. Collocott **173**, 117

Eriksson, S., see M. Kakihana **173**, 377
Eschrig, H. and S.-L. Drechsler, A microscopic scenario for s-channel superconductivity in layered cuprates **173**, 80
Espinosa, G.P., see D.J. Werder **173**, 285
Etourneau, J., see J.-C. Grenier **173**, 139
Exley, R., see J. Ryder **173**, 9

Fastampa, R., see E. Silva **173**, 145
Fastnacht, R.A., see S. Jin **173**, 75
Fastnacht, R.A., see J.E. Graebner **173**, 135
Fedotova, T.A., see V.V. Alexandrov **173**, 458
Felner, I., B. Brosh, U. Yaron, Y. Yeshurun and E. Yacoby, Critical current density, reversible and irreversible magnetization in $YBa_2Cu_4O_8$ and $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ **173**, 337
Filipczuk, S.W., On the degradation of $YBa_2Cu_3O_{7-\delta}$ by ZrO_2 **173**, 1
Fisher, L.M., see V.V. Alexandrov **173**, 458
Fleming, R.M., S.A. Sunshine, L.F. Schneemeyer, R.B. Van Dover, R.J. Cava, P.M. Marsh, J.V. Waszczak, S.H. Glarum, S.M. Zahurak and F.J. DiSalvo, Stoichiometry and superconductivity in single layer $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ **173**, 37
Foltyn, S., see R. Ramesh **173**, 163

Freeman, A.J., see J. Yu **173**, 274
Fujita, T., see Y. Maeno **173**, 322

Gaitonde, D.M. and S.N. Behera, The charge bag mechanism of superconductivity in carrier injected charge density wave systems **173**, 293
Gao, Y., G. Bai, D.J. Lam and K.L. Merkle, Microstructure and defects in *a*-axis oriented $YBa_2Cu_3O_{7-x}$ thin films **173**, 487
Giura, M., see E. Silva **173**, 145
Glarum, S.H., see R.M. Fleming **173**, 37
Glazman, L.I. and A.E. Koshelev, Thermal destruction of phase coherence in layered superconductors. A new phase transition in an ordered vortex state **173**, 180
Gorbachev, V.S., see V.V. Alexandrov **173**, 458
Graebner, J.E., see S. Jin **173**, 75
Graebner, J.E., H.M. O'Bryan, R.A. Fastnacht and S. Jin, Sensitivity of T_c to quenching in $YBa_2Cu_4O_{8-\delta}$ **173**, 135
Grassmann, A., see M. Klauda **173**, 109
Greenblatt, M., see S. Li **173**, 239
Grenier, J.-C., A. Wattiaux, N. Lagueyte, J.C. Park, E. Marquestaut, J. Etourneau and M. Pouchard, A new superconductor obtained by electrochemical oxidation of La_2CuO_4 **173**, 139
Gritzner, G., see K. Kellner **173**, 208
Gupta, M., see R.P. Gupta **173**, 357
Gupta, M. and R.P. Gupta, Pressure dependence of the hole concentration in superconducting $La_{1.85}Sr_{0.15}CuO_4$ **173**, 381
Gupta, R.P. and M. Gupta, Pressure dependence of the carrier concentration in the electron-doped superconductor $Nd_{1.85}Ce_{0.15}CuO_4$ **173**, 357
Gupta, R.P., see M. Gupta **173**, 381
Guru Row, T.N., see D. Kovatcheva **173**, 444

Harnischmacher, J., see N. Knauf **173**, 414
Hayshi, S., see K. Shibutani **173**, 398
Hellstrom, E.E., see R.R. Schartman **173**, 245
Hewat, A.W., see D. Kovatcheva **173**, 444
Howson, M.A., J. Porter and G.J. Morgan, An effective attractive electron–electron interaction and high-T_c superconductivity **173**, 51
Huang, Z.-H. and R.E. Allen, Calculations of optical properties of high-temperature superconductors **173**, 173
Hwang, D.M., see R. Ramesh **173**, 163

Il'in, N.V., see V.V. Alexandrov **173**, 458
Imai, T., see T. Machi **173**, 32
Inam, A., see R. Ramesh **173**, 163
Ishikawa, M., see I. Das **173**, 331
Iyer, R.M., see A. Sequeira **173**, 267
Izumi, F., see Y. Yamada **173**, 185

Jansen, L., L. Chandran and R. Block, Indirect exchange mechanism of high-T_c superconductivity: Pressure gradients of T_c in hole-doped and electron-doped superconductors **173**, 409
Jeon, Y., see S. Li **173**, 239
Jha, A.K., see S. Bansal **173**, 260
Jin, S., T.H. Tiefel, G.W. Kammlott, R.A. Fastnacht and J.E. Graebner, Superconducting properties of $YBa_2Cu_3O_{7-\delta}$ with partial rare earth substitution **173**, 75
Jin, S., see J.E. Graebner **173**, 135
Johansson, L.-G., see M. Kakihana **173**, 377
Jones, W.K., see G.L. Larkins Jr. **173**, 201
Jorgensen, J.D., see Y. Yamada **173**, 185

Kak, S.K., see D. Pandey **173**, 476
Kakehi, N., see Y. Maeno **173**, 322
Kakihana, M., M. Käll, L. Börjesson, H. Mazaki, H. Yasuoka, P. Berastegui, S. Eriksson and L.-G. Johansson, High-quality ceramics of $YBa_2Cu_4O_8$ from citrate sol–gel precursors sintered at one atmosphere oxygen pressure **173**, 377
Käll, M., see M. Kakihana **173**, 377
Kammlott, G.W., see S. Jin **173**, 75
Karlemo, T.T., see O.K. Antson **173**, 65
Karppinen, M.J., see O.K. Antson **173**, 65
Kawate, Y., see K. Shibutani **173**, 398
Kellner, K., X.-Z. Wang, G. Gritzner and D. Bäuerle, Fabrication of ceramic $Y_{1-x}Ca_xBa_2Cu_4O_{8+\delta}$ and $YBa_2Cu_3O_7$ superconductors from oxalate precursors at ambient pressure **173**, 208
Kennedy, R.J., see G.L. Larkins Jr. **173**, 201
Khomskii, D.I. and E.I. Neimark, Orbital structure of copper in high temperature superconductors **173**, 342
Klauda, M., J.P. Ströbel, J. Schlötterer, A. Grassmann, J. Markl and G. Saemann-Ischenko, Processing and Ce-doping dependence of $Nd_{2-x}Ce_xCuO_{4-\delta}$ core level spectra **173**, 109
Knauf, N., J. Harnischmacher, R. Müller, R. Borowski, B. Roden and D. Wohlleben, Preparation and characterisation of single-phase Bi–Pb–Sr–Ca–Cu–O high temperature superconductors **173**, 414
Kocharovsky, V.V. and Vl.V. Kocharovsky, Bragg–Coulomb mechanism for high-T_c superconductivity **173**, 425
Kocharovsky, Vl.V., see V.V. Kocharovsky **173**, 425
Kodama, Y., see Y. Yamada **173**, 185
Koshelev, A.E., see L.I. Glazman **173**, 180
Koshelev, A.E. and V.M. Vinokur, Frequency response of pinned vortex lattice **173**, 465
Koshizuka, N., see T. Machi **173**, 32
Kovatcheva, D., A.W. Hewat, N. Rangavittal, V. Manivannan, T.N. Guru Row and C.N.R. Rao, An X-ray and neutron diffraction study of cation substituted $TlSr_2CuO_5$ **173**, 444
Kozlowski, G., I. Maartense, R. Spyker, R. Leese and C.E. Oberly, Critical current density enhancement in $YBa_2Cu_3O_{7-x}$–silver composite superconductor **173**, 195
Krekels, T., G. Van Tendeloo, D. Broddin, S. Amelinckx, L. Tanner, M. Mehbod, E. Vanlathem and R. Deltour, "Tweed" structure of Fe-doped $YBa_2Cu_3O_{7-\delta}$ **173**, 361
Kruglov, A.N., see S.N. Artemenko **173**, 125
Kubiak, R. and K. Westerholt, Pressure dependence of the

magnetic susceptibility of $YBa_2Cu_3O_{6.9}$ doped by Fe, Ni and Zn **173**, 232

Lagueyte, N., see J.-C. Grenier **173**, 139
Lam, D.J., see Y. Gao **173**, 487
Langmann, E., On the upper critical field of anisotropic superconductors **173**, 347
Larkins Jr., G.L., Q. Lu, W.K. Jones, R.J. Kennedy and G. Chern, Surface degradation and aging in $YBa_2Cu_3O_{7-x}$ ceramics **173**, 201
Lebech, B., see H.F. Poulsen **173**, 387
Lee, W.H., see K. Chen **173**, 227
Leese, R., see G. Kozlowski **173**, 195
Lelental, M., see T.N. Blanton **173**, 152
Li, S., M. Greenblatt, Y. Jeon, J. Chen, G. Liang and M. Croft, X-ray absorption measurements on $Tl_{1-x}Bi_xSr_2CuO_5$ and $Tl_{0.5}Bi_{0.5}Sr_2CaCu_2O_7$. Valences of Bi, Tl and Cu **173**, 239
Liang, G., see S. Li **173**, 239
Lightfoot, P., see Y. Yamada **173**, 185
Lu, Q., see G.L. Larkins Jr. **173**, 201
Lu, S.W., see K. Chen **173**, 227

Maartense, I., see G. Kozlowski **173**, 195
MacCrone, R.K., see J.G. Darab **173**, 213
Machi, T., I. Tomeno, T. Miyatake, N. Koshizuka, S. Tanaka, T. Imai and H. Yasuoka, Nuclear spin–lattice relaxation and Knight shift in $YBa_2Cu_4O_8$ **173**, 32
Maeno, Y., A. Odagawa, N. Kakehi, T. Suzuki and T. Fujita, Structural, normal-state, and superconducting properties of $(La_{1-x}Ba_{x-y}Sr_y)_2CuO_4$ **173**, 322
Mahesh, R., see D. Pandey **173**, 476
Manivannan, V., see D. Kovatcheva **173**, 444
Marcon, R., see E. Silva **173**, 145
Markl, J., see M. Klauda **173**, 109
Marquestaut, E., see J.-C. Grenier **173**, 139
Marsh, P.M., see R.M. Fleming **173**, 37
Matsumoto, T., see Y. Yamada **173**, 185
Mazaki, H., see M. Kakihana **173**, 377
Mehbod, M., see T. Krekels **173**, 361
Meingast, C., R. Ahrens, B. Blank, H. Bürkle, B. Rudolf and H. Wühl, Thermal-expansion, specific-heat, and pressure dependence of T_c in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$: M = Fe and Zn **173**, 309
Mendiratta, R.G., see S. Bansal **173**, 260
Merkle, K.L., see Y. Gao **173**, 487
Midgley, P.A., see J. Ryder **173**, 9
Miyatake, T., see T. Machi **173**, 32
Morgan, G.J., see M.A. Howson **173**, 51
Muenchausen, R.E., see R. Ramesh **173**, 163
Müller, R., see N. Knauf **173**, 414

Nakazawa, Y., see I. Das **173**, 331
Neimark, E.I., see D.I. Khomskii **173**, 342
Nogar, N.S., see R. Ramesh **173**, 163

Oberly, C.E., see G. Kozlowski **173**, 195
O'Bryan, H.M., see J.E. Graebner **173**, 135
Odagawa, A., see Y. Maeno **173**, 322
Ogawa, R., see K. Shibutani **173**, 398
Ojima, Y., see J. Sugiyama **173**, 103
Okajima, Y., see T. Yagi **173**, 453
Otto, H.H., see R. Schönberger **173**, 159
Ozaki, H., see J.S. Shin **173**, 93

Pandey, D., A.K. Singh, R. Mahesh, V.S. Tiwari and S.K. Kak, The effect of semi-wet synthesis of the formation of the 2223 phase in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ composition **173**, 476
Park, J.C., see J.-C. Grenier **173**, 139
Parodi, F. and R. Vaccarone, The critical state and the flux dynamics in squid arrays **173**, 56
Pei, S., see Y. Yamada **173**, 185
Podhájecký, P. and F.P. Dousek, Coulometric determination of Cu^{III} **173**, 99
Porter, J., see M.A. Howson **173**, 51
Pouchard, M., see J.-C. Grenier **173**, 139
Poulsen, H.F., N.H. Andersen and B. Lebech, Twin-domain size and bulk oxygen in-diffusion kinetics of $YBa_2Cu_3O_{6+x}$ studied by neutron powder diffraction and gas volumetry **173**, 387

Rajagopal, H., see A. Sequeira **173**, 267
Rajan, K., see J.G. Darab **173**, 213
Ramesh, R., T.S. Ravi, D.M. Hwang, C.C. Chang, A. Inam, T. Venkatesan, X.D. Wu, R.E. Muenchausen, S. Foltyn and N.S. Nogar, Microstructural evolution of laser deposited superconducting Y–Ba–Cu–O films. Effect of deposition rate **173**, 163
Rangavittal, N., see D. Kovatcheva **173**, 444
Rao, C.N.R., see D. Kovatcheva **173**, 444
Ravi, T.S., see R. Ramesh **173**, 163
Renk, K.F., see R. Schönberger **173**, 159
Roden, B., see N. Knauf **173**, 414
Rudolf, B., see C. Meingast **173**, 309
Ryder, J., P.A. Midgley, R. Exley, R.J. Beynon, D.L. Yates, L. Afalfiz and J.A. Wilson, Characteristics of mixed phase superconductivity in oxygenated $La_2CuO_{4+\delta}$ **173**, 9

Saemann-Ischenko, G., see M. Klauda **173**, 109
Sakuyama, K., see J. Sugiyama **173**, 103
Sampathkumaran, E.V., see I. Das **173**, 331
Sastry, P.V.P.S.S., see A. Sequeira **173**, 267
Schartman, R.R. and E.E. Hellstrom, The low-temperature synthesis of $YBa_2Cu_3O_{7-\delta}$ under reduced oxygen pressure **173**, 245
Schilling, J.S., see R. Sieburger **173**, 403
Schlötterer, J., see M. Klauda **173**, 109
Schneemeyer, L.F., see R.M. Fleming **173**, 37
Scholz, G.A., J.C. Bennett and F.W. Boswell, Reversible electrochemically induced $\rho(T)$ and T_c changes in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **173**, 220
Schönberger, R., H.H. Otto, B. Brunner and K.F. Renk, Evidence for filamentary superconductivity up to 220 K in oriented multiphase Y–Ba–Cu–O thin films **173**, 159
Sequeira, A., H. Rajagopal, P.V.P.S.S. Sastry, J.V. Yakhmi and

R.M. Iyer, A neutron diffraction study of the structure of $Bi_{1.6}Pb_{0.4}Ca_1Sr_2Cu_2O_y$ **173**, 267
Shibutani, K., S. Hayshi, R. Ogawa and Y. Kawate, Investigation of heat treating conditions for silver-sheathed $Y_{1-x}Ca_xBa_2Cu_4O_8$ ($x=0$ and 0.1) superconductors **173**, 398
Shin, J.S. and H. Ozaki, Superconducting Bi–Sr–Ca–Cu–O films prepared by the liquid phase epitaxial method **173**, 93
Sieburger, R. and J.S. Schilling, Marked anomalies in the pressure dependence of the superconducting transition temperature in $Tl_2Ba_2CuO_{6+y}$ as a function of oxygen content **173**, 403
Silva, E., R. Fastampa, M. Giura and R. Marcon, Study of microwave surface resistance of ceramic Y–Ba–Cu–O and Bi–Sr–Ca–Cu–O systems **173**, 145
Singh, A.K., see D. Pandey **173**, 476
Smirnova, O.K., see V.V. Alexandrov **173**, 458
Spyker, R., see G. Kozlowski **173**, 195
Ströbel, J.P., see M. Klauda **173**, 109
Sugiyama, J., Y. Ojima, T. Takata, K. Sakuyama and H. Yamauchi, Superconductivity in $Nd_2CuO_{4-x}F_x$ **173**, 103
Sunshine, S.A., see R.M. Fleming **173**, 37
Suzuki, T., see Y. Maeno **173**, 322

Takata, T., see J. Sugiyama **173**, 103
Tanaka, S., see T. Machi **173**, 32
Tanner, L., see T. Krekels **173**, 361
Tiefel, T.H., see S. Jin **173**, 75
Tiwari, V.S., see D. Pandey **173**, 476
Tomeno, I., see T. Machi **173**, 32

Ullakko, K.M., see O.K. Antson **173**, 65

Vaccarone, R., see F. Parodi **173**, 56
Van Dover, R.B., see R.M. Fleming **173**, 37
Vanlathem, E., see T. Krekels **173**, 361
Van Tendeloo, G., see T. Krekels **173**, 361
Venkatesan, T., see R. Ramesh **173**, 163
Vijayaraghavan, R., see I. Das **173**, 331
Vinokur, V.M., see A.E. Koshelev **173**, 465
Voloshin, I.F., see V.V. Alexandrov **173**, 458

Wang, X.-Z., see K. Kellner **173**, 208
Waszczak, J.V., see R.M. Fleming **173**, 37
Wattiaux, A., see J.-C. Grenier **173**, 139
Werder, D.J., C.H. Chen and G.P. Espinosa, Origin of the $2\sqrt{2}\ a \times 2\sqrt{2}\ a$ superstructure in Y–Ba–Cu–O **173**, 285
Westerholt, K., see R. Kubiak **173**, 232
Wilson, J.A., see J. Ryder **173**, 9
Wohlleben, D., see N. Knauf **173**, 414
Wu, P.T., see K. Chen **173**, 227
Wu, X.D., see R. Ramesh **173**, 163
Wühl, H., see C. Meingast **173**, 309

Yacoby, E., see I. Felner **173**, 337
Yagi, T., M. Domon, Y. Okajima and K. Yamaya, Effect of oxygen deficiency on the normal and superconducting properties of $CaLaBaCu_3O_y$ **173**, 453
Yakhmi, J.V., see A. Sequeira **173**, 267
Yamada, Y., J.D. Jorgensen, S. Pei, P. Lightfoot, Y. Kodama, T. Matsumoto and F. Izumi, Structural changes of superconducting $YBa_2Cu_4O_8$ under high pressure **173**, 185
Yamauchi, H., see J. Sugiyama **173**, 103
Yamaya, K., see T. Yagi **173**, 453
Yaron, U., see I. Felner **173**, 337
Yasuoka, H., see T. Machi **173**, 32
Yasuoka, H., see M. Kakihana **173**, 377
Yates, D.L., see J. Ryder **173**, 9
Yeshurun, Y., see I. Felner **173**, 337
Yoshizaki, R., A classification method for layered copper-oxide superconductors **173**, 89
Yu, J. and A.J. Freeman, Coulomb correlated electronic band structure of cuprate superconductors **173**, 274

Zahurak, S.M., see R.M. Fleming **173**, 37
Zangvil, A. and Y.-W. Chang, Direct HVEM observations of transitions in $YBa_2Cu_3O_{7-x}$ in the presence of a controlled oxygen atmosphere **173**, 251
Zhang, X. and C.R.A. Catlow, Computer simulation studies of defects and valence states in $Ba_{1-x}K_xBiO_3$ **173**, 25

Physica C 173 (1991) 505–506
North-Holland

Analytic Subject Index to Volume 173

2223 phase in Bi–Pb–Sr–Ca–Cu–O 476

AC susceptibility 465
– of $Pr_{1-x}Gd_xBa_2Cu_3O_y$ 331
– of $YBa_2Cu_4O_8$ 377
Aging
– in $YBa_2Cu_3O_{7-x}$ 201
Anisotropic superconductor 125, 180
Anisotropic superconductors 347
Anodic electrochemical oxidation 139

Band structure 173
BCS model 347
Bipolaronic superconductivity 80

Charge bags 293
Charge density wave 293
Charge-density waves 80
Classification of copper-oxide superconductors 89
Coulomb interactions 51, 274, 342, 425
Coulometry 99
Critical current density 75, 163, 195, 227
– applications of high T_c-superconductors 398
– in $Y_{0.9}Ca0.1Ba_2Cu_4O_8$ 337
– in $Y_{1-x}Ca_xBa_2Cu_4O_8$ 398
– in $YBa_2Cu_4O_8$ 337
Critical phenomena 180
Critical state model 56
Crystal field 342
Cu–O chains 80, 453
Cu–O planes 342, 453
– in $Bi_2Sr_2CuO_6$ 117
Cu valence 99, 109, 239

Debye temperature
– of $Bi_2Sr_2CuO_6$ 117
Defect structures 213, 487
– in $Ba_{1-x}K_xBiO_3$ 25
D-wave superconductor 425

Electrical resistance 414
Electrical resistivity 125
– of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 260
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 220
– of $Pr_{1-x}Gd_xBa_2Cu_3O_y$ 331
Electron-doped superconductors 357, 409
Electron–electron umklapp scattering 425
Electronic structure 173, 274, 342
– of $La_{1.85}Sr_{0.15}CuO_4$ 381
– of $Nd_{1.85}Ce_{0.15}CuO_4$ 357
Eliashberg equations 51
Exchange-mediated pairing 409

Fermi surface 274
Filamentary superconductivity 159
Fluctuation effects 180
Flux creep
– in $Y_{0.9}Ca0.1Ba_2Cu_4O_8$ 337
– in $YBa_2Cu_4O_8$ 337
Flux dynamics 465
Flux jumps 227
Flux lattice 180
Flux pinning 458, 465

Grain boundaries 213, 487
Granular superconductivity 56, 145, 458

High pressure effect
– in $La_{1.85}Sr_{0.15}CuO_4$ 381
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe and Zn) 309
– in $YBa_2Cu_3O_{6.9}$ 232
– on $Nd_{1.85}Ce_{0.15}CuO_4$ 357
– on $Tl_2Ba_2CuO_{6+y}$ 403
High-pressure effects 409
Hole concentration 342
– in $La_{1.85}Sr_{0.15}CuO_4$ 381
– in $LaCaBaCu_3O_y$ 453
HREM 361, 487

Intercalation
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 220
Interlayer pairing 80
Isotope effect 51

Kosterlitz–Thouless transition 125

Lanthanium copper oxide 139
LPE 93

Madelung energy
– in $YBa_2Cu_4O_8$ 185
Magnetic ordering
– in $Pr_{1-x}Gd_xBa_2Cu_3O_y$ 331
Magnetic susceptibility
– of $YBa_2Cu_3O_{6.9}$ 232
Magnetization 195, 227, 458
– of $Y_{0.9}Ca0.1Ba_2Cu_4O_8$ 337
– of $YBa_2Cu_4O_8$ 337
Meissner effect 458
– in $La_2CuO_{4+\delta}$ 139
Microwave absorption 145
Modulated structures
– in $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ 37

Neutron diffraction
– in $Bi_2Sr_2CaCu_2O_{8+y}$ 65
– in $TlSr_2CuO_5$ 444
– of $Bi_{1.6}Pb_{0.4}Ca_1Sr_2Cu_2O_y$ 267
– of $YBa_2Cu_3O_{6+x}$ 387
Neutron powder diffraction
– of $YBa_2Cu_4O_8$ 185
NMR
– in $YBa_2Cu_4O_8$ 32
Normal-state properties
– of $La_2CuO_{4+\delta}$ 9, 139
NQR
– in $YBa_2Cu_4O_8$ 32

Optical absorption 173
O–T transition
– in $YBa_2Cu_3O_{7-x}$ 251
Oxygenation
– of $La_2CuO_{4+\delta}$ 9
Oxygen diffusion
– in $YBa_2Cu_3O_{6+x}$ 387
Oxygen stoichiometry 213, 251, 414
– in $Ba_{1-x}K_xBiO_3$ 25
– in $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ 37
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 220
– in $La_2CuO_{4+\delta}$ 139
– in $LaCaBaCu_3O_y$ 453
– in $Tl_2Ba_2CuO_{6+y}$ 403
– in $YBa_2Cu_4O_{8-\delta}$ 135

Phase diagram
– of $Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_{8+y}$ 65
Phonon mechanism 293
Pressure effect
– in $YBa_2Cu_4O_8$ 185

Resistivity
– of $Nd_2CuO_{4-x}Fx$ 103

Scanning electron microscopy 93
Semi-wet synthesis 476
Sol-gel 377
Specific heat
– in $Pr_{1-x}Gd_xBa_2Cu_3O_y$ 331
Specific heat at T_c
– of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe and Zn) 309
Structural phase transition 213, 322
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe and Zn) 309
Structure
– of $Ba_{1-x}K_xBiO_3$ 25
– of $Bi_{1.6}Pb_{0.4}Ca_1Sr_2Cu_2O_y$ 267
– of $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ 37
– of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 260
– of $La_2CuO_{4+\delta}$ 9, 139
– of $Nd_2CuO_{4-x}Fx$ 103
– of $Tl_{0.5}Bi_{0.5}Sr_2CaCu_2O_7$ 239
– of $Tl_{1-x}Bi_xSr_2CuO_5$ 239
– of $YBa_2Cu_3O_{7-\delta}$ 361
– of $YBa_2Cu_4O_8$ 185
– of $YBa_2Cu_4O_{8-\delta}$ 135
Substitution effects 414
– in $Bi_2Sr_2CaCu_2O_{8+y}$ 65
– in $(La_{1-x}Ba_{x-y}Sr_y)_2CuO_4$ 322
– in $TlSr_2CuO_5$ 444
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe and Zn) 309
– in $YBa_2Cu_3O_{7-\delta}$ 75
Substitution effects of Fe
– in $YBa_2Cu_3O_{7-\delta}$ 361
Substitution effects of Fe, Ni, Sn
– in $YBa_2Cu_3O_{6.9}$ 232
Substitution effects of Pb
– in $Bi_2Sr_2Ca_2Cu_3O_{10}$ 260
Superconducting oxide 139
Superstructure
– in YBaCuO 285
Surface impedance 145, 465
– of $YBa_2Cu_3O_{7-x}$ 201
Synthesis
– of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ 476
– of Bi-Pb-Sr-Ca-Cu-O 414
– of $Y_{1-x}Ca_xBa_2Cu_4O_{8+\delta}$ 208
– of $Y_{1-x}Ca_xBa_2Cu_4O_8$ (wire) 398
– of $YBa_2Cu_3O_7$ 208
– of $YBa_2Cu_3O_{7-\delta}$ 1, 245
– of $YBa_2Cu_4O_8$ 377
– of $YBa_2Cu_4O_{8-\delta}$ 135

TEM 251
– of YBaCuO 285
Thermal expansion at T_c
– of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe and Zn) 309
Thermogravimetrics
– of $YBa_2Cu_3O_{7-\delta}$ 245
Thin films
– of BiSrCaCuO 93, 152
– of $YBa_2Cu_3O_{7-\delta}$ 1
– of $YBa_2Cu_3O_{7-x}$ 487
– of YBaCuO 159, 163
Twin boundaries
– in $YBa_2Cu_3O_{7-\delta}$ 361
Twin-domain size
– in $YBa_2Cu_3O_{6+x}$ 387

Upper critical field H_{c2} 347

Vortex structure 125

Weak links 56, 458

XPS
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 109
– of $YBa_2Cu_3O_{7-x}$ 201
X-ray absorption
– of $Tl_{0.5}Bi_{0.5}Sr_2CaCu_2O_7$ 239
– of $Tl_{1-x}Bi_xSr_2CuO_5$ 239
X-ray diffraction 152, 377
– of $TlSr_2CuO_5$ 444

Physica C 173 (1991) 507
North-Holland

Materials Index to Volume 173

$Ba_{1-x}K_xBiO_3$
– defect structures 25
– oxygen stoichiometry 25
– structure 25
$Bi_{1.6}Pb_{0.4}Ca_1Sr_2Cu_2O_y$
– neutron diffraction 267
– structure 267
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$
– synthesis 476
$Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$
– modulated structures 37
– oxygen stoichiometry 37
– structure 37
$Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_{8+y}$
– phase diagram 65
$Bi_2Sr_2Ca_2Cu_3O_{10}$
– electrical resistivity 260
– structure 260
– substitution effects of Pb 260
$Bi_2Sr_2CaCu_2O_{8+\delta}$
– electrical resistivity 220
– intercalation 220
– oxygen stoichiometry 220
$Bi_2Sr_2CaCu_2O_{8+y}$
– neutron diffraction 65
– substitution effects 65
$Bi_2Sr_2CuO_6$
– Cu–O planes 117
– Debye temperature 117
Bi-Pb-Sr-Ca-Cu-O
– synthesis 414
BiSrCaCuO
– thin films 93, 152

$La_{1.85}Sr_{0.15}CuO_4$
– electronic structure 381
– high pressure effect 381
– hole concentration 381
$(La_{1-x}Ba_{x-y}Sr_y)_2CuO_4$
– substitution effects 322
$La_2CuO_{4+\delta}$
– Meissner effect 139
– normal-state properties 9, 139
– oxygenation 9
– oxygen stoichiometry 139
– structure 9, 139
$LaCaBaCu_3O_y$
– hole concentration 453
– oxygen stoichiometry 453

$Nd_{1.85}Ce_{0.15}CuO_4$
– electronic structure 357
– high pressure effect 357
$Nd_2CuO_{4-x}Fx$
– resistivity 103
– structure 103
$Nd_{2-x}Ce_xCuO_{4-\delta}$
– XPS 109

$Pr_{1-x}Gd_xBa_2Cu_3O_y$
– AC susceptibility 331
– electrical resistivity 331
– magnetic ordering 331
– specific heat 331

$Tl_{0.5}Bi_{0.5}Sr_2CaCu_2O_7$
– structure 239
– X-ray absorption 239
$Tl_{1-x}Bi_xSr_2CuO_5$
– structure 239
– X-ray absorption 239
$Tl_2Ba_2CuO_{6+y}$
– high pressure effect 403
– oxygen stoichiometry 403
$TlSr_2CuO_5$
– neutron diffraction 444
– substitution effects 444
– X-ray diffraction 444

$Y_{0.9}Ca0.1Ba_2Cu_4O_8$
– critical current density 337
– flux creep 337
– magnetization 337
$Y_{1-x}Ca_xBa_2Cu_4O_8$
– critical current density 398
– synthesis 398
$Y_{1-x}Ca_xBa_2Cu_4O_{8+\delta}$
– synthesis 208
$YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$
– high pressure effect 309
– specific heat at T_c 309
– structural phase transition 309
– substitution effects 309
– thermal expansion at T_c 309
$YBa_2Cu_3O_{6+x}$
– neutron diffraction 387
– oxygen diffusion 387
– twin-domain size 387
$YBa_2Cu_3O_{6.9}$
– high pressure effect 232
– magnetic susceptibility 232
– substitution effects of Fe, Ni, Sn 232
$YBa_2Cu_3O_7$
– synthesis 208
$YBa_2Cu_3O_{7-\delta}$
– structure 361
– substitution effects 75
– substitution effects of Fe 361
– synthesis 1, 245
– thermogravimetrics 245
– thin films 1
– twin boundaries 361
$YBa_2Cu_3O_{7-x}$
– aging 201
– O–T transition 251
– surface impedance 201
– thin films 487
– XPS 201
$YBa_2Cu_4O_8$
– AC susceptibility 377
– critical current density 337
– flux creep 337
– Madelung energy 185
– magnetization 337
– neutron powder diffraction 185
– NMR 32
– NQR 32
– pressure effect 185
– structure 185
– synthesis 377
$YBa_2Cu_4O_{8-\delta}$
– oxygen stoichiometry 135
– structure 135
– synthesis 135
YBaCuO
– superstructure 285
– TEM 285
– thin films 159, 163